

Determining the Fit and Impact of CTI Indicators on Your Monitoring Pipeline (#tiqtest2)

Alex Pinto - Chief Data Scientist – Niddel (now a part of Verizon) @alexcpsec @NiddelCorp

Who am I?

- Brazilian Immigrant
- Security Data Scientist
- Capybara Enthusiast
- Co-Founder at Niddel (@NiddelCorp)
- Founder of MLSec Project (@MLSecProject)
- What is <u>Niddel</u>? Niddel is a security vendor that provides a SaaS-based Autonomous Threat Hunting System
- We are now a part of Verizon, but this is not what this talk is about, so hit me up later!



This Talk Contains

- 1 Fair Warning
- 1 Witty Metaphor
- 3 Novel(-ish) Ideas
- 2 Hopeful Dreams
- 1 Enlightening Conclusion
- Several Self-Serving Callbacks
- At least 1 Capybara

Nutrition Facts

Serving Size 125g


your calorie need


Amount Per Servi	ing			
Calories 65		Ca	lories from F	at 2
			% Daily	Value*
Total Fat Og				0%
Saturated Fa	t Og			0%
Trans Fat				
Cholesterol)mg			0%
Sodium 1mg				0%
Total Carboh	ydra	ite	17g	6%
Dietary Fiber	3g			12%
Sugars 13g				
Protein Og				
Vitamin A	1%	٠	Vitamin C	10%
Calcium	1%	•	Iron	1%
*Percent Daily Values are based on a 2,000 calorie diet Your daily values may be higher or lower depending on				

Fair Warning

- This is a presentation about <u>Metrics</u>
 - Please hold your applause
 - Data Scientists like data at scale (duh)
 - Only by measuring the impact we can have, we will be able to have effective "supply chain management" and "industrialization" of threat intel
 - Data QA and analysis is 95% of any ML effort

Metrics on What?





Taking Diminishing Returns into Account

Mostly inside TIQ-TEST ClassicTM

NOVELTY – How often do feeds update themselves?
AGING – How long does an indicator sit on a feed?

OVERLAP – How do they compare to what you got?
UNIQUENESS – How many indicators are found in only Insights on what we are one feed?

POPULATION – How does this population distribution compare to another one ? Insights on first order utility, how the data affects us.

Coverage Test

Coverage Test (aka Overlap 2.0)

- Our interpretation of Coverage:
 - Are you getting the data you need from the myriad feeds you consume?
 - How much unique data does the feed contain?
 - What actual DETECTION and CONTEXT opportunities arise from the data you have available?

Overlap Classic[™] is still too much inside baseball

75% 50%

25%

0%

OTX (3,938) magnet_portal (10)-100% 50% 67% pan unit42 (65) -25% 100% cybercrimetracker atmos (7)-25% 100% cybercrimetracker pony (32)-15% CR/ CP4 100% tracker h3x eu (46)-100% amtrckr (56) -100% malwaredomains (384) 25% 50% 100% 29 149 abuse.ch ransomwaretracker (28) 100% % Overlap abuse.ch zeustracker (4)-100% 4% bambenek (327) · 100% 21% CPR2 COR. kafeine (3)-100% 100% openphish (4,026) 26% 100% phishtank (1,851) 20 OP/a CP/a 100% qarallax (1) malware (3)-100% 20% 100% phishing (2) -10% cybercrimetracker (112)-100% 75% 53% 43% vxvault (242) 100% 37% malwareconfig (7) - 100% apusech carsonward adder (26) chescinerates anos (maharadomaina (384) oposcimensoler powlad oybercrimensoter(112) openphisman, 28 par unite? (65) magnel portel 10 mawassoningth darallat (1) phiston 1851 phisting (2) namare 07+(3.938)

Source is contained (number of entities)

Overlap Test Plot: Entity 'domain' - weekly - 20170717

entities)

5


contains (num

Coverage Test


• For each feed you have available:

 $Coverage_{Feed} = setdiff(IOC_{Feed}, IOC_{ALL})$

 $Coverage\%_{Feed} = rac{setdiff(IOC_{Feed}, IOC_{ALL})}{IOC_{Feed}}$



Percentage of unique entities (domain) - weekly - 20170717



Coverage Test - Caveats

- Too much uniqueness could mean a lot of FPs!
- Having overlap is NOT BAD
 - Confidence + different workflow mapping
- This is not related to "CTI Generation" coverage, as in source and methods utilization and actor tracking
 - Aaron Shelmire did some work on that
 - Ex: Dridex -> Locky -> GlobeImp -> Dridex from same actors

Fitness Test

Fitness Test (aka Population 2.0)

• The original Population test was too concerned in using fancy statistics to be useful.

• Trends and population comparisons ARE COOL, and a good way to drive detection engines, but a bad way to evaluate clearly if a feed has a relationship to your environment.


 Detection power of feeds only matter of they "fit" your telemetry

Fitness Test

- For each feed you have available:
- $Fit_{Feed} = intersect(IOC_{Feed}, Telemetry)$

$UniqueFit_{Feed} = intersect(setdiff(IOC_{Feed}, IOC_{ALL}), Telemetry)$

Unique IOCs per feed from our Coverage test



Fitness Test - Caveats

• A <u>bad Fit</u> does NOT mean a <u>bad Feed</u>. Best ICS / OT feed data will probably "not fit" the telemetry of a small credit union.

• A Fitness value that is too high could also mean a high number of false positives, unless the feeds themselves are too different.

• Sharing communities: Fitness answers the "am I the only one?" question perfectly.


Impact Test


Impact Test (our Splat points)

• "How much detection are we getting out of this?"

 $Impact_{Feed} = \frac{good_alerts(intersect(IOC_{Feed}, Telemetry))}{intersect(IOC_{Feed}, Telemetry)}$


- What is a "good alert"? What is a "false positive"?
- <u>Good alert</u>: An alert that was "correct" even if it had been alerted by something else is not a false positive.





Deep Impact Test

- What if it's not a direct IOC match but we learned from it?
- Best usage from CTI is "climbing the pyramid", and learning TTPs
- Not so simple to account for correctly



Destination

Confidence Score	98.80		
AS Number	HETZNER-AS, DE (24940)		
IP	78.46.211.158		
Hostname	mac-security.usa.cc		
Reverse DNS	mail.freeavailabledomains.com		
Port	80 / TCP		
Country	Germany (DE)		
Tag(s)	infostealer		

Matches

Source	Category	Campaign	Entity
malwaredomains	pony infostealer	MalwareDomains - cybercrime-tracker.net - Pony - 2017-03-10	felemy.usa.cc
OTX-niddel 🕝	phishing	THL Phishing Sites - Crime-Only Domains - March 2017	forgot-pasword- access.usa.cc
OTX-niddel 🕑	phishing	THL Phishing Sites - Crime-Only Domains - March 2017	login- confirmation- accounts.usa.cc

Maliciousness Rating

Country	Low (4.48)
AS	Low (2.35)
BGP prefix	Low (4.20)
Dst. Host Public Suffix	Medium (5.29)
Dst. Host Org. Suffix	Very High (1,804.65)
Dst. Reverse Host Public Suffix	Minimal (0.52)
Dst. Reverse Host Org. Suffix	Very High (721.28)
Dst. Host SOA Authority	Very High (1,366.82)
Dst. Host SOA E-mail	Very High (149.72)
Dst. Host SOA NS	Very High (126.47)
Dst. Host WHOIS Registrar	High (11.33)
Dst. Host WHOIS Registrant	Low (20.33)
Dst. Host WHOIS Registrant E-mail	Low (487.47)
Dst. Host WHOIS Name Servers	Very High (130.77)

TIQ-Test 3.0?

Ideas from a Metric Filled Future

• BENEFIT – "By using this feed / combination of feeds correctly correctly, you are likely to have ~10 actionable alerts per week"

 ASSURANCE – "By using this feed / combination of feeds correctly, you will have the capability to detect threat actor / malware family X within an SLA of 24 hours"

In Summary...

You can't buy capyness.

In Summary

• To avoid diminishing returns from buying / ingesting new CTI feeds you must be continually working hard to make them work for you.

• Failing to understand the caveats of proper usage and selection of feeds as your org matures will lead you to a "detection plateau" where more feeds are not making you more secure.





Share, like, subscribe. Q&A and Feedback please!

Alex Pinto – alexcp@niddel.com @alexcpsec @NiddelCorp



"If you can't measure it, you can't improve it." - Peter Drucker