

# CTI Automation is harder than it needs to be...

Allan Thomson, LookingGlass Cyber Solutions CTO
Co-Chair OASIS CTI Interoperability
June 2018





### What Cyber Threat Intelligence (CTI) users say about automation

"CTI vendors should figure out how to orchestrate their tools, they are falling behind on protecting because of alert fatigue and are missing legitimate issues"

VP, Security Operations

"If CTI vendors would provide more context to their data, it would be so much easier to know what to do if we see an alert"

Senior Director, Threat

Research







### **Desired Outcomes for CTI Automation**




- Provide Coordinated Actions During Incident Response
- Integrate Multiple Systems
  - Typically different vendors
- Enable Different Functions & Tasks
  - Firewall vs SIEM vs Endpoint protection
  - Threat analysis vs Incident response
- Support Best Practices with Easy Plug & Play



### Large Multinational Media Company Challenge

10000s of Windows endpoints

Mature Security Analysis and Operations Team



Firewall/POP

**Vendor A: Threat Intelligence Platform** 

Aggregates Threat Intelligence feeds Claims support of STIX Version 1 Indicators

**Issue**: Indicators not defined in compatible manner despite both vendors verifying against STIX 1 specification

### **Vendor B: Endpoint Protection Agent**

Inspects for malware, correlates against global Indicators

<u>Claims support of STIX Version 1 Indicators</u>

Result: Failed to debug problem, both vendors support & engineering teams involved




## Fortune 500 Enterprise Challenges

### **Heterogenous Integration Points**

 Claims support for STIX and TAXII – integration requires development by customer

 Claims support for STIX – API authentication requires custom fields **Issue:** Interoperability fails due to authentication or non-standard implementation of STIX 1.x



### **Data Normalization**

- URL-Encoding
- Missing protocol and/or IP address in the URL
- Unicode
- Port, protocol, authentication

google.com/index.html

Result: Users have to copy-paste indicators from TIP to firewalls' blacklist and manually age them out



### Lack Of Interoperability Impacts Security Response





- Required Expertise & Human Resources
  - To understand technically what is working
- Increased Time & Costs
  - Multiple days/weeks to make it 'work'
  - Multiple orgs involved
- Reduced Capability
  - Unexpected results
  - Undermines protection

**Result is ... Adversaries WIN** 




### Where Security Interoperability Challenges Lie...

- Technology
  - Specifically what technology standards supporting automation

- People
  - What are their roles, objectives and motivations

- Business Justification
  - Building a business case for interoperable solutions





### **OASIS Standards For Security Automation**

### STIX/TAXII Version 2


- Focused on CTI analyst sharing; supports security operations; threat hunting; forensic analysis
- Automation Improvements
  - JSON, not XML
    - Scale and performance improvements
  - Simplicity and Clarity
    - Reduce variability across implementations
  - Pragmatism
    - Fewer, but better-understood objects and properties
  - Integrated Standard
    - Integrated observed meta-data with STIX
  - Relationships as first-class objects
    - Enabling cross team collaboration
  - Easy customization & extension
    - Support organizational specific features

### OpenC2

- Focused on command and control orchestration primitives supporting incident response; threat hunting...etc
- Automation language across
  - JSON-Based
  - Mitigation Across All Protected Assets
    - Endpoint files; registries; memory...etc.
    - Network flows; urls...etc.
    - Users
  - Mitigation Actions including
    - Block, Allow
    - Move, Delete
  - Investigation Actions including
    - Query
    - Scan
    - Locate




### **Hypothetical Operational Deployment**






Use Case Maturity: Lack of fully developed data model and command options




End-to-End Workflows: Mostly developed independently • Lack common vision of how intelligence and C2 are used in coordinated ecosystem Are all systems Threat Intelligence Platform **TAXII Server Threat Mitigation Orchestrator** Threat Miti designed to integrate? **Indicator Console** SecOps Decision Course SELECT TMS INDICATOR Of Action Console STIX bundle Console identity Write Collection indicator **Process PUBLISH** PUBLISH Analyst Openc2 STIX2 **NEW FIREWALL RULE** Read Collection Request STIX2 Request OpenC2 SIEM Are all user roles sighting and their use cases event hit1 understood? event hit2



- Consistent Operations Model
  - Lack common mechanisms for identifying sources, versioning and change modifications....etc
  - Operational requirements across technologies supporting both standards



- Interoperability Verification
  - Lack of coordinated interoperability verification
  - A system that does both STIX/TAXII & OpenC2 has no coordinated verification



# CTI Interoperability Automation ...a model for future...



### **STIXPreferred Certification**

• OASIS STIX/TAXII **Version2** Self Certification Program





- Verified capabilities for *industry selected* use cases including incident response
- Increase quality and success of CTI 'Out of the Box' Collaboration



### STIX TAXII 2 Preferred - Persona

Data Feed Provider (DFP)

Threat Intelligence Platform (TIP)

Security Incident and Event Management (SIEM)


TAXII Server (TXS)

TAXII Feed (TXF)

Threat Mitigation System (TMS)

Threat Detection System (TDS)

Threat Intelligence Sink (TIS)





### **Certification Test Structure**

- STIX Sharing (independent of TAXII) Tests Part 1 Interoperability
- STIX over TAXII Sharing Part 2 Interoperability
- Each part defines
  - 1) A set of tests to performed and data
  - 2) A set of expected results & behaviors
  - 3) Checklists define mandatory and optional tests for each personal



# **Interoperability Certification Part 1 Focus**

Description	Producer Personas	Respondent Personas	
Indicator Sharing	DFP, TIP	TMS, TIS, TDS, TIP, SIEM	
Sightings Sharing	DFP, TIP, TMS, TDS	TIP, SIEM	
Versioning	All	All	
Data Markings	All	All	
Custom Objects & Properties	All	All	
Course of Action Sharing	DFP, TIP	TIP, TMS, TIS, TDS	



### **Test Component #1: Data**

A set of tests to performed and data for producer and consumer

To TXS	From TXS
POST /api1/collections/91a7b528-80eb-42ed-a74d-bd5 a2116/objects/ HTTP/1.1 Host: 10.1.1.10 Accept: application/vnd.oasis.taxii+json; version=2.0 Authorization: Basic dGVzdDoxMjPCow== Content-Type: application/vnd.oasis.stix+json; version=2.0  {     "type": "content from test table below", }	HTTP/1.1 202 Accepted Content-Type: application/vnd.oasis.taxii+json; version=2.0  {     "id": "2d086da7-4bdc-4f91-900e-d77486753710",     "status": "complete",     "request_timestamp": "2016-11-02T12:34:34.12345Z",     "total_count": 4,     "success_count": 4,     "successes": [         "List of objects defined in the Part1 bundle test cases"     ],     "failure_count": 0,     "pending_count": 0 }



## **Test Component #2: Behavior**

 A set of expected results & behaviors

Goes beyond simple parsing

#### Setup B Behavior - Read-Write Collection

- Producer does a get on the Read-Write collection https://10.1.1.10/api1/collections/91a7b528-80eb-42ed-a74d-bd5a2118
- 2. Verify at the Producer that the TXS responds with the following information:
  - a. HTTP Response Code is 200 OK
  - b. id is 91a7b528-80eb-42ed-a74d-bd5a2118
  - c. title is "Read-Write Collection 1"
  - d. description is "This is Read-Write Collection 1"
  - e. can\_read is true
  - f. can\_write is true
  - g. media\_types is "application/vnd.oasis.stix+json; version=2.0"
- 3. For each section described in <u>Part1: Indicator Sharing Producer Test Cases</u> the Producer will allow an analyst to create an Indicator in the user interface of Producer product and then publish the content to the <u>TXS</u> at <a href="https://10.1.1.10/api1/collections/91a7b528-80eb-42ed-a74d-bd5a2118/objects">https://10.1.1.10/api1/collections/91a7b528-80eb-42ed-a74d-bd5a2118/objects</a> where the <u>TXS</u> component will not respond to the post until all objects within the bundle have been processed
- Verify the TXS accepts the content by verifying the following on the Producer:
  - a. HTTP Response code is 202 Accepted
  - b. id represents a unique identifier for each post
  - c. status is complete
  - d. request timestamp represents the time of the post
  - e. total\_count represents the number of objects in the bundle test case
  - f. success\_count is the same as total\_count
  - successes is an array of the object identifiers in the submitted bundle and matches the identifiers posted for each indicator
  - h. failure\_count is 0
  - pending\_count is 0
- Verify that the Producer shows that the content shared to the TXS is visually shown to the user that the content was accepted successfully by the TXS.



### **Test Component #3: Checklists**

- Checklists define mandatory and optional tests for each persona
  - Ensures consistent capabilities for certified products


Table 3.3.1 - Threat Intelligence Platform (TIP) Part 1 Test Verification List

Use Case	Test	Verification	Results
Indicator Sharing	Indicator IPv4 Address	Mandatory	<fill in=""></fill>
Indicator Sharing	Indicator IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	Two Indicators with IPv4 Address CIDR	Mandatory	<fill in=""></fill>
Indicator Sharing	Indicator with IPv6 Address	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	Indicator with IPv6 Address CIDR	Optional	<if fill="" in="" supported,=""></if>
Indicator Sharing	Indicator FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	Indicator URL	Mandatory	<fill in=""></fill>
Indicator Sharing	Indicator URL or FQDN	Mandatory	<fill in=""></fill>
Indicator Sharing	Indicator File hash with SHA256 or MD5 values	Mandatory	<fill in=""></fill>
Sighting Sharing	Producer Test Case Data	Mandatory	<fill in=""></fill>
Sighting Sharing	Sighting + Indicator with IPv4 Address	Mandatory	<fill in=""></fill>
Sighting Sharing	Sighting + Indicator with IPv4 Address Matching CIDR	Mandatory	<fill in=""></fill>
Sighting Sharing	Sighting + Indicator with IPv6 Address Matching CIDR	Optional	<if fill="" in="" supported,=""></if>
Sighting Sharing	Sighting + Indicator with NO observed data	Mandatory	<fill in=""></fill>



# **User Focused Verification Example #1**


- Same organization sharing and modifying common intelligence between two analysts using two systems
  - First analyst creates an intelligence element that they wish to share with other analysts within the same organization
  - Second analyst receives the intelligence from the first analyst and then proceeds to modify the existing intelligence and reshares back to the first analyst





## **User Focused Verification Example #2**

- **Different organizations** sharing and modifying **related** intelligence between two analysts using two systems
  - First analyst creates an intelligence element that they wish to share with another set of analysts in a sharing community
    - The other analysts in this sharing community belong to different organizations
  - Second analyst receives the intelligence from the first analyst and then proceeds to find some new content that they believe is related to the original intelligence
    - They proceed to then share the new intelligence back to the sharing community, including the relationship that connects the intelligence together





# Interoperability: 4 Select Lessons Learned

\* January 2018 STIX/TAXII v2 Plugfest in Utah

Summary	Issue
Absolute URLs impact cloud deployments	Absolute Taxii URL problem can't be used in certain deployments. Requires specification work to allow either discovery of URL or relative URLs for taxii
Media Types cause implementation ambiguity	Different Media types on different endpoints is confusing and causes problems in implementations  Client could put both STIX and TAXII media types in requests accept header
Message limits ambiguity	Messages and how large they could be caused confusion resulting in poor implementation choices
Common practice of tagging not mandatory	Specification ambiguous. Vendor was expecting a mandatory field but it's not included resulting in their product rejecting missing content



### 3 Lessons To Making Automation Easier...



 Automation projects succeed when sharing a common objective across all aspects



- Leverage standards-based security technologies whenever possible:
  - STIXPreferred Persona Certification
  - OpenC2 Actuator Profiles



Verify and fail-fast



### Learn More...

- ...on standards: OASIS
  - Membership <a href="https://www.oasis-open.org/">https://www.oasis-open.org/</a>
  - Events <a href="https://www.oasis-open.org/events/calendar">https://www.oasis-open.org/events/calendar</a>
- ...on CTI Interoperability: STIX/TAXIIv2 Interoperability Subcommittee
  - <a href="https://www.oasis-open.org/committees/tc">https://www.oasis-open.org/committees/tc</a> home.php?wg abbrev=cti-interoperability
- ...on CTI: STIX/TAXII Technical Committee
  - https://www.oasis-open.org/committees/tc\_home.php?wg\_abbrev=cti
- ...on OpenC2: Technical Committee
  - <a href="https://www.oasis-open.org/apps/org/workgroup/openc2/">https://www.oasis-open.org/apps/org/workgroup/openc2/</a>





# Questions?

@LG\_Cyber www.LookingGlassCyber.com



