Turning data into actionable intelligence advanced features in MISP supporting your analysts and tools

@adulau @Iglocska



FIRST Cyber Threat Intelligence Webinar



- CIRCL is mandated by the Ministry of Economy and acting as the Luxembourg National CERT for private sector.
- We lead the development of the Open Source MISP TISP which is used by many military or intelligence communities, private companies, financial sector, National CERTs and LEAs globally.
- CIRCL runs multiple large MISP communities performing active daily threat-intelligence sharing.

- What is MISP?
- Our initial scope
- Why is contextualisation important?
- What options do we have in MISP?
- How can we leverage this in the end?

- Open source "TISP" A TIP with a strong focus on sharing
- A tool that collects information from partners, your analysts, your tools, feeds
- Normalises, correlates, enriches the data
- Allows teams and communities to **collaborate**
- Feeds automated protective tools and analyst tools with the output
- A set of tools to manage sharing communities and interconnected MISP servers

- There are many different types of users of an information sharing platform like MISP:
 - Malware reversers willing to share indicators of analysis with respective colleagues.
 - Security analysts searching, validating and using indicators in operational security.
 - Intelligence analysts gathering information about specific adversary groups.
 - Law-enforcement relying on indicators to support or bootstrap their DFIR cases.
 - Risk analysis teams willing to know about the new threats, likelyhood and occurences.
 - Fraud analysts willing to share financial indicators to detect financial frauds.

- **Extract information** during the analysis process
- Store and correlate these datapoints
- **Share** the data with partners
- Focus on technical indicators: IP, domain, hostname, hashes, filename, pattern in file/memory/traffic
- Generate protective signatures out of the data: snort, suricata, OpenIOC

THE GROWING NEED TO CONTEXTUALISE DATA

- Contextualisation became more and more important as we as a community matured
 - Growth and diversification of our communities
 - Distinguish between information of interest and raw data
 - False-positive management
 - TTPs and aggregate information may be prevalent compared to raw data (risk assessment)
 - Increased data volumes leads to a need to be able to prioritise
- These help with filtering your TI based on your requirements...
- ...as highlighted by a great talk from Pasquale Stirparo titled Your Requirements Are Not My Requirements

- Context added by analysts / tools
- Data that tells a story
- Encoding analyst knowledge to automatically leverage the above

CONTEXT ADDED BY ANALYSTS / TOOLS

- An IP address by itself is barely ever interesting
- We need to tell the recipient / machine why this is relevant
- All data in MISP has a bare minimum required context
- We differentiate between indicators and supporting data

BROADENING THE SCOPE OF WHAT SORT OF CONTEXT WE ARE INTERESTED IN

- Who can receive our data? What can they do with it?
- Data accuracy, source reliability
- Why is this data relevant to us?
- Who do we think is behind it, what tools were used?
- What sort of motivations are we dealing with? Who are the targets?
- How can we **block/detect/remediate** the attack?
- What sort of **impact** are we dealing with?

TAGGING AND TAXONOMIES

Simple labels

- Standardising on vocabularies
- Different organisational/community cultures require different nomenclatures
- Triple tag system taxonomies
- JSON libraries that can easily be defined without our intervention

Тад	Events	Attributes	Tags
workflow:state="complete"	11	0	workflow:state="complete"
workflow:state="draft"	0	0	workflow:state="draft"
workflow:state="incomplete"	55	10	workflow:state="incomplete"
workflow:state="ongoing"	0	0	workflow:state="ongoing"

GALAXIES

- Taxonomy tags often non self-explanatory
 - Example: universal understanding of tlp:green vs APT 28
- For the latter, a single string was ill-suited
- So we needed something new in addition to taxonomies -Galaxies
 - Community driven knowledge-base libraries used as tags
 - Including descriptions, links, synonyms, meta information, etc.
 - Goal was to keep it simple and make it reusable
 - Internally it works the exact same way as taxonomies (stick to JSON)

	5 ,	
Galaxy ID	373	
Name	Ransomware	
Namespace	misp	
Uuid	3f44af2e-1480-4b6b-9aa8-f9bb21341078	
Description	Ransomware galaxy based on	
Version	4	
Value 4		Synonyms
Value 4		Synonyms
Value ‡ .CryptoHasYou. 777		Synonyms Sevleg

B Ransomware galaxy

THE EMERGENCE OF ATT&CK

- Standardising on high-level TTPs was a solution to a long list of issues
- Adoption was rapid, tools producing ATT&CK data, familiar interface for users
- A much better take on kill-chain phases in general
- Feeds into our filtering and situational awareness needs extremely well
- Gave rise to other, ATT&CK-like systems tackling other concerns

- **attck4fraud**¹ by Francesco Bigarella from ING
- **Election guidelines**² by NIS Cooperation Group
- AM!TT Misinformation pattern ³ by the misinfosecproject

¹https://www.misp-project.org/galaxy.html#_attck4fraud ²https:

- Low quality / false positive prone information being shared
- Lead to alert-fatigue
- Exclude organisation xy out of the community?
- FPs are often obvious can be encoded
- Warninglist system⁴ aims to do that
- Lists of well-known indicators which are often false-positives like RFC1918 networks, ...

LIST OF	KNOWN	IPV4	PUBLIC	DNS	RESOLVERS
---------	-------	------	--------	-----	-----------

89
List of known IPv4 public DNS resolvers
Event contains one or more public IPv4 DNS resolvers as attribute with an IDS flag set
20181114
string
ip-src, ip-dst, domainjip
Yes (disable)

Warning: Potential false positives

List of known IPv4 public DNS resolvers Top 1000 website from Alexa List of known google domains

⁴https://github.com/MISP/misp-warninglists

DATA THAT TELLS A STORY

- Atomic attributes were a great starting point, but lacking in many aspects
- MISP objects⁵ system
 - Simple **templating** approach
 - Use templating to build more complex structures
 - Decouple it from the core, allow users to define their own structures
 - MISP should understand the data without knowing the templates
 - Massive caveat: Building blocks have to be MISP attribute types
 - Allow relationships to be built between objects

SUPPORTING SPECIFIC DATAMODELS

+			⊞ 0 ≍	Fiters	: Al File Network Financial	Proposal Correlation Warning	Include deleted attributes Show context fi	eids Q		
	Date	Org	Category	туре	Value	Tags	Galaxies Comment		Correlate	Related Events
•			Name: bark-acco References: 0 🖸							
0	2018-09-28		Other	status-code: text	A - Active		Add			
0	2018-09-28		Other	report-code: text	STR Suspicious Transaction F	Report	Add			
0	2018-09-28		Other	personal-account-typ text	pe: A - Business		Add			
0	2018-09-28		Financial fraud	swift: bic	HASEHKHH		Add		S	3849 11320 11584
0	2018-09-28		Financial fraud	account: bank-account-nr	788796894883		Add			
0	2018-09-28		Other	account-name: text	FANY SILU CO. LIMITED		A35			
0	2018-09-28		Other	currency-code: text	USD		Ass			

.



Data shared was frozen in time

- All we had was a creation/modification timestamp
- Improved tooling and willingness allowed us to create a feedback loop
- Lead to the introduction of the Sighting system
- Signal the fact of an indicator sighting...
- ...as well as when and where it was sighted
- Vital component for IoC lifecycle management
- External SightingDB and standard thanks to Sebastien Tricaud from Devo inc.

CONTINUOUS FEEDBACK LOOP (2)

	Events			
	No	Sighting CIRCL:	gs 2 (2017-03-19 16:17:59)	G
	No	hinen	(2/0/0)	G
	No	Inherit	心 ゆ 🌶 (0/ <mark>0</mark> /0)	G
Tage				

Tags	•					
Date	2016-02-24					
Threat Level	High					
Analysis	nitial					
Distribution	Connected communities					
Sighting Dotails	freetext test					
Signung Details	No					
MISP: 2	4 (2) - restricted to own organisation only.					
	- Discussion					

CONTINUOUS FEEDBACK LOOP (3)

Monitor uptimes of infrastructure

Make decisions on whether to action on an IoC



A BRIEF HISTORY OF TIME - TIMELINES

- Data providers including the timing of the data has allowed us to include it directly in MISP
- First_seen and last_seen data points
- Along with a complete integration with the UI
- Enables the visualisation and adjustment of indicators timeframes



THE VARIOUS WAYS OF ENCODING ANALYST KNOWLEDGE TO AUTOMATI-CALLY LEVERAGE OUR TI

Providing advanced ways of querying data

- Unified export APIs
- Incorporating all contextualisation options into API filters
- Allowing for an on-demand way of excluding potential false positives
- Allowing users to easily **build their own** export modules feed their various tools

ł

```
/attributes/restSearch
```

```
"returnFormat": "netfilter",
"enforceWarninglist": 1,
"tags": {
  "NOT": [
    "tlp:white",
    "type:OSINT"
  "OR": [
    "misp-galaxy:threat-actor=\"Sofacy\"",
    "misp_galaxy:sector=\"Chemical\""
  ],
```

```
/events/restSearch
{
    "returnFormat": "attack",
    "tags": [
        "misp-galaxy:sector=\"Chemical\""
    ],
    "timestamp": "365d"
}
```

A SAMPLE RESULT FOR THE ABOVE QUERY

Pre Attack - Attack Pattern	Enterprise Attack - Att	ack Pattern Mobile Attac	k - Attack Pattern					0		11 🛛 🖉 🕇 Show all
Initial access	Execution	Persistence	Privilege escalation	Defense evasion	Credential access	Discovery	Lateral movement	Collection	Exfiltration	Command and control
Spearphishing Attachment	Scripting	Screensaver	File System Permissions Weakness	Process Hollowing	Securityd Memory	Password Policy Discovery	AppleScript	Data from Information Repositories	Extituation Over Alternative Protocol	Standard Application Layer Protocol
Spearphishing via Service	Command-Line Interface	Login Item	AppCert DLLs	Code Signing	Input Capture	System Network Configuration Discovery	Distributed Component Object Model	Data from Removable Media	Extituation Over Command and Control Channel	Communication Through Removable Media
Trusted Relationship	User Execution	Trap	Application Shimming	Rootkit	Bash History	Process Discovery	Pass the Hash	Man in the Browser	Data Compressed	Custom Command and Control Protocol
Replication Through Removable Media	Regsvcs Regasm	System Firmware	Scheduled Task	NTFS File Attributes	Exploitation for Credential Access	Network Share Discovery	Exploitation of Remote Services	Data Staged	Automated Exfitration	Multi-Stage Channels
Exploit Public-Facing Application	Trusted Developer Utilities	Registry Run Keys / Start Folder	Startup Items	Exploitation for Defense Evasion	Private Keys	Peripheral Device Discovery	Remote Desktop Protocol	Screen Capture	Scheduled Transfer	Remote Access Tools
Spearphishing Link	Windows Management Instrumentation	LC_LOAD_DYLIB Addition	New Service	Network Share Connection Removal	Brute Force	Account Discovery	Pass the Ticket	Email Collection	Data Encrypted	Uncommonly Used Port
Valid Accounts	Service Execution	LSASS Driver	Sudo Caching	Process Doppelgänging	Password Filter DLL	System Information Discovery	Windows Remote Management	Clipboard Data	Extilitation Over Other Network Medium	Multilayer Encryption
Supply Chain Compromise	CMSTP	Rc.common	Process Injection	Disabling Security Tools	Two-Factor Authentication Interception	System Network Connections Discovery	Windows Admin Shares	Video Capture	Exfiltration Over Physical Medium	Domain Fronting
Drive-by Compromise	Control Panel Items	Authentication Package	Bypass User Account Control	Timestomp	LLMNR/NBT-NS Poisoning	Network Service Scanning	Remote Services	Audio Capture	Data Transfer Size Limits	Data Obluscation
Hardware Additions	Dynamic Data Exchange	Component Firmware	Extra Window Memory Injection	Modily Registry	Credentials in Files	File and Directory Discovery	Taint Shared Content	Data from Network Shared Drive		Connection Proxy
	Source	Windows Management Instrumentation Event Subscription	Setuid and Setgid	Indicator Removal from Tools	Forced Authentication	Security Software Discovery	Application Deployment Software	Data from Local System		Commonly Used Port
	Space after Filename	Change Default File	Launch Daemon	Hidden Window	Keychain	System Service Discovery	Third-party Software	Automated Collection		Data Encoding

- We were still missing a way to use all of these systems in combination to decay indicators
- Move the decision making from complex filter options to complex decay models
- The idea is to not modify our data, but to provide an overlay to make decisions on the fly
- Decay models would take into account various available context
 - Taxonomies
 - Sightings
 - type of each indicator
 - Creation date

• ..

IMPLEMENTATION IN MISP: Event/view

- Pivots - Galaxy	+Event graph +Correlation g	raph +ATT&CK matrix =Attributes =Discussion								
🗙 45: Decayi										
Galaxies										
8+ =+										
« previous next	» view all									
+ ≡ ⊵	Scope toggle 🔹 🍵 Del	eted EDecay score O Context 🚏 Related Tags	Titering tool (1)						Enter value to search	Q X
Date † Or	g Category Type Value	Tegs	Galaxies Comm	ent Correlate	Related Feed Events hits	I IDS Distribut	on Sightings	Activity	Score	Actions
2019-09-12	Network activity ip-src 5.5.5.	5 🚱 + 🚨 +	😵 + 🚨 +	8		Inherit	ici içi ≱ (0/0/0)		NIDS Simple Decaying 65	5.26 🕈 🖬 🗹 🖬
									Model 5 79.88	
2019-08-13	Network activity ip-src 8.8.8.	admiralty-scale:source-reliability="a" x retention:expired x + + +	0+ <u>2</u> +	×	1222 S1:1 Show S1:2	Inherit	6 Q / (5/0/0)	l.	NIDS Simple Decaying 54 Model 5, 52,69	1.6
					more					
2019-08-13	Network activity ip-src 9.9.9.	admiralty-scale:source-reliability:*c* x misp:confidence-level="completely-confident" x	8+ 2+	×	1319 S1:1 28	 Inherit 	心 や メ (4/10)	M_L	NIDS Simple Decaying 37	7.43 🕈 🖬 🗹 🗑
		3 tip:amber x ⊗ + 2 +			Show 6 more				Model 5 0	
2019-08-13	Network activity ip-src 7.7.7.	admiralty-scale:information-credibility="4" x retention:2d x +	🔇 + 🚨 +	×	41	 Inherit 	心 や チ (3/0/0)	<u> </u>	NIDS Simple Decaying 37	7.41
						- Interd			Model 5 0	
U 2019-07-18	verwork activity ip-site 6.6.6.	· •	8+ 2 +	×	41	⊗ inhent	(0.000)		NIDS Simple Decaying 23 Model 5 0	3.31 - 1 2 1
									model o	

Decay score toggle button

Shows Score for each Models associated to the Attribute type

IMPLEMENTATION IN MISP: FINE TUNING TOOL



Create, modify, visualise, perform mapping

IMPLEMENTATION IN MISP: SIMULATION TOOL



Simulate Attributes with different Models

MONITOR TRENDS OUTSIDE OF MISP (EXAMPLE: DASHBOARD)



A SMALL DETOUR - COVID-19 MISP

Using the new built in dashboarding system of MISP

- **Customising MISP** for a specific use-case
- We are focusing on four areas of sharing:
 - Medical information
 - Cyber threats related to / abusing COVID-19
 - COVID-19 related disinformation
 - Geo-political events related to COVID-19
- Low barrier of entry, aiming for wide spread
- Already a **massive community**

Register at https://covid-19.iglocska.eu

DASHBOARDING AND SITUATIONAL AWARENESS



Create, modify, visualise, perform mapping

- Massive rise in user capabilities
- Growing need for truly actionable threat intel

Lessons learned:

- Context is king Enables better decision making
- Intelligence and situational awareness are natural by-products of context
- Don't lock users into your workflows, build tools that enable theirs

Contact CIRCL

- info@circl.lu
- https://twitter.com/circl_lu
- https://www.circl.lu/
- Contact MISPProject
 - https://github.com/MISP
 - https://gitter.im/MISP/MISP
 - https://twitter.com/MISPProject
- Join the COVID-19 MISP community
 - https://covid-19.iglocska.eu